

UNCHUR, Ye.S., kand. med.nauk; YEKIMOVA, A.L., kand. med. nauk;
MININA, R.M., prof.; KRYUKOVSKAYA, B., red.; STEPANOVA, N.,
tekhn. red.

[Congenital dislocation of the hip and its treatment] Vrozh-
dennyi vyvikh bedra i ego lechenie. Minsk, Gosizdat BSSR,
1963. 118 p. (MIRA 16:12)

(HIP JOINT—DISLOCATION)

3/661/61/000/006/044/081
D244/D502

AUTHOR: Stavitskiy, I. K., Neymark, B. Ye., Kryukovskaya, E. M.,
Kirichenko, V. A. and Churmayeva, V. K.

TITLE: Investigations in the field of preparing polydimethylsi-
loxane rubber

SOURCE: Khimiya i prakticheskoye primeneniye kremneorganicheskikh
soyedineniy; trudy konferentsii. no. 6: Doklady, diskus-
sii, resheniye. II Vses. konfer. po khimii i prakt. prim.
kremneorg. soyed., Len. 1958. Leningrad, Izd-vo AN SSSR,
1961, 203-205

TEXT: This is a discussion in which K. A. Andrianov (Moscow) and
A. I. Klebanskiy (VNIISK, Leningrad) took part. The authors disclo-
sed that the formation of polydimethylsiloxane rubber is an ionic
process. Concentrated sulfuric acid increased the molecular weight
of the polymer to about 100,000. To obtain molecular weights of the
order of 500,000 it was necessary to remove some of the acid. When
the acid was diluted to about 70%, the molecular weight increased

Card 1/2

Investigations in the field ...

S/661/61/000/006/044/081
D244/D302

to 500 - 600 thousand. The acid polysiloxanes are split under the influence of $Al_2(SO_4)_3$ at $100^\circ C$, and a polymer is formed with a molecular weight of 400,000. Subsequently, the growth of the polymer continued for 40 - 48 hours at room temperature and the molecular weight reached 400-500 thousand. It was sufficient to have 2% wt. concentrated sulfuric acid to obtain the polymer with a molecular weight of 400,000. The polymer obtained industrially contains about 9 - 10% of the monomer. So far no catalyst was found that would increase the yield of the polymer to more than 90%. The catalysts tried so far were $FeCl_3$, $Al_2(SO_4)_3$, H_2SO_4 and KOH .

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy institut sinteticheskogo kauchuka, Leningrad (All-Union Scientific Research Institute of Synthetic Rubber, Leningrad) ✓

Card 2/2

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R000826920008-6

APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R000826920008-6"

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

B EXCERPTA MEDICA Sec. 7 Vol. 9/7 July 55

KRYUKOVA Z. V.

1508. KRYUKOVA Z. V. *On the mechanism of the haemorrhage in children with typhoid fever (Russian text) PEDIATRIJA 1954, 5 (71-74) Tables 2

A total of 48 children with typhoid fever was studied and in 7 cases clinical symptoms of increased bleeding tendency were observed, namely a haemorrhagic rash, epistaxis, haematuria and also bleeding from the bowel. It is considered that vitamin C deficiency and thrombopenia may be associated with the condition. The administration of ascorbic acid and of preparations stimulating thrombocytopoiesis is recommended.

Anigstein - Galveston, Tex. (XX, 7)

1. Iz KLINIKI' infektsionnykh bolezney
(gav. klinikoy I. R. Irobinskij)

KRYUKOVA, Z.V. (Stalino)

Hemorrhagic manifestations in patients with epidemic hepatitis in connection with hypoprothrombinemia, the number of thrombocytes and of blood coagulability. Klin.med. 33 no.5:86-87 My '55. (MLRA 8:9)

1. Iz kliniki infektsionnykh bolezney sav. I.R. Drobinskiy
Stalinskogo meditsinskogo instituta
(HEPATITIS, INFECTIOUS, compl.
hemorrh.diathesis)
(HEMORRHAGIC DIATHESIS, etiol. and pathogen.
hepatitis, infect.)

F-4

USSR/Microbiology - Microorganisms Pathogenic to Humans and Animals.

Abs Jour : Ref Zhur - Biol., No 10, 1958, 43344

Author : Druzhinin, I.D., Kohdratenko, G.P., Kryukova, Z.V.

Inst :

Title : Significance of Agglutination Reaction of Virus-Charged Bacteria (AVB) in Laboratory Diagnosis of Scarlet Fever.

Orig Pub : Zh. mikrobiol., epidemiol. i immunobiologii, 1956 (1957), 23-24.

Abstract : The diagnostic significance of AVB reaction by the Weinberg and Tokar method in scarlet fever was studied. A stock culture of typhoid fever bacteria #4277, killed by heating for 1 hour at 56°, was charged with smears from pharynxes of scarlet fever patients. As antibodies a blood serum of scarlet fever convalescents was used, taken on the 20-40th day of sickness. A mixture of sera from 6-8 convalescents was first exhausted by a thick suspension

Card 1/3

USSR/Microbiology - Microorganisms Pathogenic to Humans
and Animals.

F-4

Abs Jour : Ref Zhur - Biol., No 10, 1958, 43344

of typhoid fever bacteria in order to eliminate the activity of typhoid fever agglutinins which might be contained in the convalescent's blood. Smears from pharynxes of 332 patients were examined once, and 4-6 times in 18 patients for a period of 4-6 weeks. In 63.3% of patients the smears were taken on the 2-6th day of disease, in 36.4% at later periods. 36 smears were taken from patients with atypical forms and 314 from patients with typical forms of scarlet fever of different severity. Of the 319 reactions studied 240 positive results and 43 doubtful were obtained. The average limiting agglutination titer was 1:72. Thus, with a single test of smears from the pharynx a diagnosis of scarlet fever was confirmed with the aid of AVB in 240 patients, i.e. in 68%. Repeated examinations of 18 patients showed that the antigen disappears between the 18th and 39th day of disease.

Card 2/3

41

USSR/Microbiology - Microorganisms Pathogenic to Humans and Animals.

F-4

Abs Jour : Ref Zhur - Biol., No 10, 1958, 43344

Control examinations of 45 well persons and 7 children with measles produced 50 negative and 2 doubtful (patients with measles with a titer of 1:20) results. The authors consider that use of depleted and mixed sera from scarlet fever convalescents, which simplifies the reaction and increases the percentage of positive reactions, makes utilization of this method possible for diagnosing atypical cases of scarlet fever.

Card 3/3

KRYUKOVA, Z.V., kandidat meditsinskikh nauk (Stalino)

Case of acute brucellosis combined with infectious hepatitis. Vrach.
delo no.11:1203-1205 N '56. (MIRA 10:3)

1. Klinika infektsionnykh bolezney (sveduyushchiy - S.L.Eres)
oblastnoy klinicheskoy bol'nitsy im. Voroshilova.
(HEPATITIS, INFECTIOUS) (BRUCELLSIS)

DRUZHININ, I.D.; KONDRATENKO, G.P.; KRYUKOVA, Z.V.

Role of the agglutination of virus-coated bacteria in the laboratory
diagnosis of scarlet fever. Zhur.mikrobiol.epid. i immun., supplement
for 1956:23-24 '57 (MIRA 11:3)

1. Iz kafedry mikrobiologii i infektsionnoy kliniki Stalinskogo
meditsinskogo instituta.
(AGGLUTINATION) (SCARLET FEVER)

KRYUKOVSKAYA, Z.M. 128-58-6-10/17

AUTHORS: Lupyrev, I.I., Candidate of Technical Sciences, Drayer, S.S.
Engineer, Stavitskiy, I.K., Engineer, Karlin A.V., Engineer,
Kryukovskaya, Z.M., Engineer

TITLE: Separating Lubricants for Shell Molds (Razdelitel'nyye smazki
dlya obolochkovykh form)

PERIODICAL: Liteynoye Proizvodstvo, 1958, Nr 6, p 27 (USSR)

ABSTRACT: This article contains information on "SKT-2" and "SKT-3" lu-
bricants for shell molds. These lubricants are based on
methylsilicon vat residues, and are 10 to 12 times cheaper
than the ethylsilicon liquid No. 5 (TU MKhP 2416-50), which
previously was extensively used for shell molds. The new lu-
bricants are also more stable at high temperatures and cause no
scale on the surface of mold boards. They were developed by
the authors.

AVAILABLE: Library of Congress

Card 1/1 1. Lubricants-Applications 2. Synthetic lubricants-Applications

TRAYBICH, S.I.; KRYUKOVA, Z.V., kand.med.nauk

Comparison of the clinical course of typhoid and paratyphoid diseases
in patients treated and not treated with synthomycin. Vrach.delo no.10:
1063-1064 O '59. (MIRA 13:2)

1. Klinika infektsionnykh bolezney (sveduyushchiy - dotsent S.L.
Brez) Stalinskogo meditsinskogo instituta na base bol'nitsy imeni M.I.
Kalinina.

(TYPHOID FEVER) (PARATYPHOID FEVER) (CHLOROMYCETIN)

EREZ, S.L., dotsent; KRYUKOVA, Z.V., kand.med.nauk

Atypical pneumonia caused by the ornithosis virus. Vrach. delo no.6:
88-90 Jo '61. (MLA 15:1)

1. Klinika infektsionnykh bolezney (zaveduyushchiy - dotsent S.L.
Erez) Stalinskogo meditsinskogo instituta na baze Oblastnoy klinicheskoy
bol'nitsy. (PNEUMONIA) (ORNITHOSIS)

KRYUKOVA, Z.V.; KREMNEVA, Z.Ya.

Causes for the appearance of relapses and their preventive treatment
in brucellosis. Zhur. mikrobiol. epid. i immun. 32 no.6:66-70 Je '61.
(MIRA 15:5)

1. Iz kliniki infektsionnykh bolezney Stalinskogo meditsinskogo
instituta na base klinicheskoy bol'nitsy imeni Kalinina.
(BRUCELLOSIS)

KRYUKOVA, Z. V., dotsent

Meningeal syndrome in sporadic exanthematous typhus. Vrach.
delo no.3:148-149 Mr '62. (MIRA 15:7)

1. Klinika infektsionnykh bolezney (zav. - dotsent S. L. Erez)
Donetskogo meditsinskogo instituta.

(TYPHUS FEVER) (MENINGES---DISEASES)

1. Razumskiy filial Sibirobogo otdeleniya MVD.

Represents products of scientific center of the MVD.
Rep. Vost. min. co-va 94 no. 6300-711 '85.

100-1010

1. Razumskiy filial Sibirobogo otdeleniya MVD.

OL'SHEVSKAYA, Ol'ga Iosifovna, kand. med. nauk; VINOGRADOV, N.V.,
prof., red.; KRYUKOVSKAYA, B., red.

[Mental diseases; popular science essays] Psikhicheskie
zabolevaniia; nauchno-populiarnye ocherki. Minsk, Izd-vo
"Belarus'," 1964. 118 p. (MIRA 17:6)

ADENSKIY, Andrey Dmitriyevich, prof. Prinimala uchastiye
KALININA, I.F.; KRYUKOVSKAYA, B., red.

[Therapeutist's guide] Sputnik terapevta. Minsk, Izd-
vo "Belarus'," 1964. 694 p. (MIRA 18:5)

MARKOV, Danil Aleksandrovich, akademik, prof.; SHCHERBAKAYA, B.,
red.

[Fundamentals of the pathogenetic therapy of diseases of
the nervous system] Osnovy patogeneticheskoi terapii za-
bolevanii nervnoi sistemy. Minsk, Izd-vo "Belorus',"
1964. 470 p. (SIRA 18:1)

1. Akademiya nauk Belorusskoy SSR (for Markov).

ca 7

Methods of purifying titanium concentrates from sulfur
G. Ginter and N. Kizukovskii *Isotopovye* 10,
No. 7, 216 (1959); (*Chem. Zvesti* 1940, 1, 224). The
following processes are discussed: agglomeration, combustion,
flotation and magnetic separation. With all of these methods
it is possible to reduce the S content from 0.15-0.17%
to 0.11-0.10%.

550 554 METALLURGICAL LITERATURE CLASSIFICATION

KRYUKOVSKIY, N. N.

FA 12/49T33

USSR/Engineering
Welding - Electrodes
Welding - Equipment

Aug 48

"MEZ-01 Electrodes," N. N. Kryukovskiy, Engr, 1½ pp

"Artogennoye Delo" No 8

Describes construction and tests of a new electrode
for welding low carbon steel. Sheathing contains
hematite.

12/49T33

KRYUKOV, N. N.

ELECTRODES OF HIGH EFFICIENCY FOR HYDROGEN AND HYDROGEN PEROXIDE. G. G. Kuznetsov, M. M. Kuznetsov and N. N. Kryukovskii. (Arizhina, Issled. 1947, Nov. 21-23 In Russian Abstracts of Chemical Reviews 1948, vol. 21, May p. 41). Powdered steel as a component of electrode coatings method is similar to those commonly used.

Immediate source clipping

KRYUKOVSKIY, N. N.

PA 45/49T30

USSR/Engineering
Welding - Electrodes
Welding, Electric

Mar 49

"MEZ-04 Electrodes for Welding Low-Carbon Steel,"
N. N. Kryukovskiy, Engr, 2 $\frac{1}{2}$ pp

"Avtogennoye Delo" No 3

MEZ-04 electrodes, designed in Moscow Metallic
Electrode Plant, are intended for welding low-
carbon steels in any position using AC. Details
construction and performance of electrodes.

VIB

45/49T30

185T30

USSR/Engineering - Welding, Equipment Mar 51

"Treatment of Ferromanganese for Electrode Coatings," N. N. Kryukovskiy, Engg

"Avtogen Delo" No 3, pp 15-17

Expts established that upon grinding ferromanganese in ball mills, powders of various fractions are obtained without relationship to time of crushing. Thus, conditions for grinding ferromanganese must be established experimentally in every case in order to obtain max of needed fraction per time unit; passivation of low-carbon ferromanganese by

185T30

USSR/Engineering - Welding, Equipment Mar 51
(Contd)

wetting or heating is not obligatory, since ferromanganese, after prolonged aging, does not react with alk coating, plastic properties of which are improved upon introduction of ferromanganese aged for 10 days.

185T30

KRYUKOVSKIY, N. N.

PHASE I

TREASURE ISLAND BIBLIOGRAPHICAL REPORT

AID 521 - I

BOOK

Call No.: TK7725.K7

Author: KRYUKOVSKIY, N. N.

Full Title: MANUFACTURING OF ELECTRODES FOR ARC WELDING

Transliterated Title: Proizvodstvo elektrodov dlya dugovoy svarki

PUBLISHING DATA

Originating Agency: None

Publishing House: State Scientific and Technical Publishing House of
Machine-Building Literature (Mashgiz)

Date: 1953

No. pp.: 180

No. of copies: 6,000

Editorial Staff

Editor: Kozhevnikov, M. D., Eng.

Appraiser: Lapidus, V. A., Eng.

PURPOSE: The book is intended for engineers and technicians, specialists
in the field of electrode manufacturing.

TEXT DATA

Coverage: This is an account of Soviet experience in the manufacturing
of electrodes for welding operations. According to the author, it is
the first attempt to present all the achievements of Soviet plants
and research organizations in this field in the form of summarized
reference data. The book contains a classification of the types of
electrodes according to All-Union State Standards (GOST) and of their
trademarks, with descriptions of their basic uses. It discusses

1/2

Proizvodstvo elektrodov dlya dugovoy svarki

AID 521 - I

manufacturing technique, the preparation of electrode coatings and wires, and the treatment of steel wires for arc welding. It describes the required qualities of raw materials and their testing to ensure conformity to standards. It deals also with the organization of control in the electrode industry. The book contains detailed descriptions of various equipment with illustrations, tables and diagrams.

No. of References: 19 Russian, 1938-1951

Facilities: Central Scientific Research Institute of Technology and Machine Building (TsNIITMASH); Trust for Rationalization of Production in the Machine-Building and Metalworking Industries (Orgametall) Leningrad Plant im. Kotlyakov; Tbilisi Agricultural Machinery Plant; Moscow Electrode Plant, and others.

2/2

KRYLOV, N. N.

Teoreticheskie osnovy radiotekhniki [Theoretical principles of radio engineering]. Izd. 2. Moskva, Morskoi transport, 1953. 552 p.

SO: Monthly List of Russian Accessions, Vol. 6 No. 8 November 1953

KEYUKOVSKIY, Nikolay Nikitovich; PETROV, Ye.A., inzhener, redaktor;
GRUSHINSKAYA, G.M., redaktor izdatel'stva; SEMEL'KINA, S.I.,
tekhnicheskii redaktor; UVAROVA, A.F., tekhnicheskii redaktor

[Production of electrodes for arc welding] Proizvodstvo elektrodov
dlia dugovoi svarki. Izd. 2-oe. Moskva, Gos. nauchno-tekhn. izd-vo
mashinostroit. lit-ry, 1956. 275 p. (MIRA 9:7)
(Electrodes) (Electric welding)

Electrodes for built-up welding
LAPIDUS, Vladimir Arkad'yevich; ERYUKOVSKIY, N.M., inzhener, retsenzent;
ZVEGINTSOVA, K.V., inzhener, redaktor; ORUSHEVSKAYA, G.M.,
izdatel'skiy redaktor; MODUL', B.I., tekhnicheskiiy redaktor

[Electrodes for built-up welding] Elektrody dlia napolavki.
Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry,
1957. 231 p. (MLRA 10:6)
(Electrodes)

S/193/60/000/008/015/018
A004/A001

AUTHORS: Kryukovskiy, N. N., Dmitriyev, A. N.

TITLE: Introducing the Gang Machining of Parts at the Plants of the Leningrad Sovnarkhoz

PERIODICAL: Byulleten' tekhniko-ekonomicheskoy informatsii, 1960, No. 8, pp.70-71

TEXT: The authors report on the results of introducing gang machining of various parts at the plants of the Leningrad Sovnarkhoz and point out that this new production method increased the labor productivity by 25 - 40% on the average. At one of the Leningrad mechanical engineering plants more than 11,000 machine parts, or 70% of the total number of parts, are machined by this method, which resulted in savings of 4 million rubles per year. Gang machining could be introduced after an extensive unification and standardization of machine parts and units of basic production. Special classification indices and cards of technological processes of gang machining are being used, while special gang equipment has been developed reducing preparatory operations by 45-60% and cutting the time of preparatory production by half. The authors present some data on the economic efficiency of individual gang processes. The labor productivity of turret lathes increased by 47% while the number of operators was reduced by 50%, which resulted Card 1/3

S/193/60/000/008/015/018
A004/A001

Introducing the Gang Machining of Parts at the Plants of the Leningrad Sovnarkhoz

in savings of more than 25,000 rubles for one turret lathe operating in two shifts. The labor productivity of lathes increased by 37%, while costs for special equipment decreased by 80%, which resulted in savings of 8 - 12,000 rubles per year for one lathe. The labor productivity of milling machines and capstan lathes increased by 36 and 47%, respectively. More than 100 plants of the Leningrad Sovnarkhoz produce 224,700 items of parts, among them 62,340 parts on turret lathes, 42,660 parts on lathes, 21,220 on automatic lathes, 30,200 parts on milling machines, 29,580 parts by cold stamping; 6,000 parts by hot and liquid pressing, 5,000 parts by pressure casting and 2,700 parts by other methods. Considering the different industries, 126,548 parts are gang-machined in mechanical engineering plants, 39,561 parts in the radiotechnical industry, 23,700 parts in the ship-building industry, 24,730 parts in the instrumentation industry and 11,061 parts are gang-machined in the electrical engineering industry. In 1959, 30 million rubles were saved by the Leningrad Sovnarkhoz plants by introducing the gang machining of parts, compared to 10 million rubles in 1958. One of the advanced engineering plants of the Sovnarkhoz held seminars on gang machining for the representatives of 124 plants of 68 Sovnarkhozes of the RSFSR. 217 people were

Card 2/3

3/193/60/000/008/015/018
A004/A001

Introducing the Gang Machining of Parts at the Plants of the Leningrad Sovnarkhoz

trained in these seminars. As a result of this training quite a number of Sovnarkhozes introduced the gang machining of parts by 1960. Thus, e. g., 4,468 items are gang machined at the Vladimir Sovnarkhoz, 4,944 items at the Gor'kiy Sovnarkhoz, 2,500 items at the Kaliningrad Sovnarkhoz, 3,200 items at the Kalinin Sovnarkhoz and 2,900 items at the Kurgan Sovnarkhoz.

✓

Card 3/3

VORNOVITSKIY, I.N.; VAGAPOV, I.M.; KRYUKOVSKIY, N.N., inzh.,
retsenzent; STEPANCHENKO, N.S., red.izd-va; TSAREVA,
T.N., tekhn. red.

[High-duty electrodes for arc welding] Vysokoproizvodi-
tel'nye elektrody dlia dugovoi svarki. Moskva, Mashgiz,
1963. 102 p. (MIRA 16:11)
(Electric welding--Equipment and supplies)

124-57-1-1014

Translation from: Referativnyy zhurnal, Mekhanika, 1957, Nr 1, p 142 (USSR)

AUTHOR: Kryukovskiy, S.S.

TITLE: Anchoring Towers in the Soil (Prismatic Foundations)
[Zakrepleniye opor v grunte (prizmaticheskiye fundamenty)].

PERIODICAL: Tr. Mosk. energ. in-ta, 1955, Nr 17, pp 54-84

ABSTRACT: The calculation of massive prismatic foundations is set forth relative to the design of high-voltage line towers. The foundation block is assumed to be absolutely rigid. The soil is considered as an elastic-plastic body, hence the relationship between loads and deformations follows Prandtl's diagram. The soil reaction is assumed to be proportional to the displacements, where the coefficient of proportionality varies linearly with the depth. The calculation is carried out up to the limit stage, that is, failure. The displacement of the foundation at the moment of failure is treated as a rotation about some point and vertical settling whereas no consideration is given to the horizontal shear. Criteria are established for the applicability of the calculation formulas; a comparison of the results of theoretical calculations with experimental data are set forth.

Card 1/2

124-57-1-1014

Anchoring Towers in the Soil (Prismatic Foundations) (cont.)

The paper appears to be a further development of the method of S. M. Kurdin [Ustoychivost' opor v gruntakh, Ch. 1. (The Stability of Towers in the Soil. Part 1), Gosenergizdat, 1936].

1. Transmission line towers--Design--Foundation factors
2. Transmission line towers--Foundation--Stability 3. Trans- P. I. Klubin
mission line towers--Foundations--Mathematical analysis

1. Kafedra soprotivleniya materialov

Card 2/2

BOLOTIN, V.V., prof.; DARKOV, A.V., prof.; KRYUKOVSKIY, S.S., prof.;
SOKOLOV, S.N., prof.

[Program for the course in strength of materials for students
not specializing in mechanics in higher technical schools]
Programma kursa soprotivleniia materialov dlia nemekhanicheskikh
spetsial'nostei vtuzov. Moskva, Gos.isd-vo "Sovetskaiia nauka,"
1959. 14 p. (MIRA 13:3)

1. Russia (1923- U.S.S.R.) Ministerstvo vysshego i srednego
spetsial'nogo obrazovaniia.
(Strength of materials--Study and teaching)

PONOMAREV, S.D., prof.; TIKHOMIROV, Ye.N., prof.; SERINSEN, S.V., prof.;
MALININ, N.N., prof.; POPOV, A.A., prof.; KRYUKOVSKIY, S.S., prof.;
SOKOLOV, S.N., prof.

[Program of the course "Strength of materials" for departments of
mechanical engineering in technical institutes] Programma kursa
"Soprotivlenie materialov" dlia mashinostroitel'nykh i mekhaniche-
skikh spetsial'nostei vysshih tekhnicheskikh uchebnykh zavedenii.
Moskva, Izd-vo "Vyshaia shkola," 1959. 15 p. (MIRA 15:1)

1. Russia (1923- U.S.S.R.) Ministerstvo vysshego i srednego spe-
tsial'nogo obrazovaniya.
(Strength of materials—Study and teaching)

OBODOVSKIY, Boris Arnol'dovich; KHANIN, Solomon Yefimovich;
Prinimali uchastiye ORZHEKHOVSKAYA, O.P.; ITSKOVICH,
G.M.; DARKOV, A.V., prof., doktor tekhn. nauk.
retsensent; KRYUKOVSKIY, S.S., prof., retsensent.
[deceased]; KRYTOV, G.M., dots., retsensent; RAKIVNENKO,
V.N., st. prepod., retsensent; VINOKUROV, A.I., otv. red.;
VAYNBERG, D.A., red.

[Strength of materials in examples and problems] Soprotiv-
lenie materialov v primerakh i zadachakh. Khar'kov, Izd-
vo Khar'kovskogo gos. univ., 1965. 314 p. (MIRA 18:5)

YAKOVLEV, N.N., professor; ~~KRYUKOVSKIY, Ye.A.~~, redaktor; SAYTANIDI, L.D.,
tekhnicheskii redaktor

[What happens in the athlete's body during physical exercise] Chto
proiskhodit v organizme sportsmena pri vypolnenii fizicheskikh
uprashnenii. Moskva, Gos. izd-vo "Fizkul'tura i sport," 1951. 99 p.
[Microfilm] (MLA 9:8)
(EXERCISE)

KRYUKYALIS, B.[Kriukelis,B.]; CHYURAS,A.[Ciuras,A.]; LUR'YE, U., red.;
LUKOSHEVICHYUS,St.[Lukosevicius,St.], tekhn. red.

[Production of forage on collective and state farms of the
Lithuania S.S.R.] Proizvodstvo kormov v kolkhozakh i sovkh-
zakh Litovskoi SSR. Vil'nius, Gos.izd-vo polit.i nauchnoi lit-ry,
1960. 34 p. (MIRA 14:12)

(Lithuania--Forage)

KRYUNAS, T., takhnoruk

They are progressing all the time. Prom. koop. 12 nc.10:4
0 '58. (MIFA 11:10)

1. Artel' "Stakhanovets," g. Vil'nyus.
(Vilnius--Plastics industry) (Vilnius--Aluminum industry)

YEVDOKIMOV, I.S.; YEVSTIGNEYEV, O.P.; KRYUSHIN, V.N.; DROZDOV, B.M., redaktor;
TRESVIATSKIY, N.N., retsentsent; SOKOLOVA, T.Y., tekhnicheskiiy redaktor;

[Calculating machines] Schetno-tsifrovyye mashiny; uchebnoe posobie
dlya tekhnikumov. Moskva, Gos.nauchno-tekhn.isd-vo mashinostroitel'
noi i sudostroitel'noi lit-ry, 1953. 326 p. (MIRA 9:1)
(Calculating machines)

YEVDOKIMOV, Ivan Semenovich, YEVSTIGNEEV, German Pavlovich, KRYUSHIN,
V.N.

[Calculating machines] Schetnye mashiny. Izd. 2. 2., perer. i
dopol. Moskva, Gos. nauch.-tekh. izd-vo mashinostroitel'noi
lit-ry, 1955. p. 387. (MIRA 11:10)
(Calculating machines)

Kryushin, V. P.

TUBES & THERMIONICS

"Effect of Dielectric on the Phase Constants of Spatial Harmonics of a Helix," by V. P. Kryushin, Radiotekhnika i Elektronika, No 70, July 1957, pp 901-911.

A dispersion equation is derived for a helix surrounded by a dielectric cylinder of finite thickness, using certain approximations. Good agreement is obtained in the comparison of the calculated values of the effect of the dielectric for the first backward harmonic with the measurements made of a double-wound helix made of round wire, secured by means of quartz tubes. Refers to "Traveling Wave Tube Helix Impedance," by P. K. Tien (Proceedings IRE, 1953, 41, 11, 1617-1623), "Electromagnetic Wave Propagation on Helical Structures" by S. Sensiper (Proceedings IRE, 1955, 43, 2, 149-161), and "The Helix as a Backward Wave Circuit Structure," by Watkins and Ash (Journal of Applied Physics, 1954, 25, 6, 782-790).

Card 1/1

- 57 -

Kryushkov, N. V. "APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R000826920008-

Comparative technical and economic evaluation of apartment houses having different numbers of stories. Moskva, Gos. izd-vo lit-ry po stroitel'stvu i arkhitekture, 1954. 68 p. (55-41128)

AKADEMIA arkhitektury SSSR, Moscow. Nauchnoissledovatel'skii institut arkhitektury zhilishcha. Sravnitel'naya tekhnika...1954 (Card 2, 55-41128)

TH4820.A4

1. Apartment houses- Russia. I. Kriushkov N.V., ed. II. Akademia arkhitektury SSSR, Moscow. Nauchno-issledovatel'skii institut gradostroitel'stva.

KRYUCHKOV, V. G.:

Kryuchkov, V. G.: "Problems of the economic utilization of the Volgadelta region." Moscow Order of Lenin and Order of Labor Red Banner State U ikeni K. V. Lomonosov. Moscow, 1956. (Dissertation for the Degree of Candidate in Geographical Science)

SO: Knizhnaya letopis', No 27, 1956. Moscow. Pages 94-109;111.

KRYUTCHENKO, V.K., inzh.; LISOVETS, Ye.I., inzh.

Expediency of the use of hydraulic carriages with front or
tail arrangement of tool holders in relation to lathe axis.
Mashinostroenie no.5:53-55 S-O '62 (MIRA 18:2)

KRYVASHIN, M.S.

Apparatus for collecting crumb peat. Vestsi AN BSSR Ser. fiz.-
tekh. nav. no.3:30-40 '58. (MIRA 11:10)
(Peat machinery)

1. KRYVDA, S. A.
2. USSR (600)
4. Forests and Forestry
7. Shelterbelt forestry. Les. khoz. 5, no. 10, 1952.

9. Monthly List of Russian Accessions, Library of Congress, January, 1953. Unclassified.

USSR / Forestry. Forest Cultures.

K

Abs Jour : Ref Zhur - Biologiya, No 18, 1958, No. 82238

Author : Kryvda, S. A.

Inst : Not given

Title : Forest Cultivation in Southern Yorgoni

Orig Pub : Lesn. kh-vo, 1958, No 3, 76-80

Abstract : No abstract given

Card 1/1

#1471

END

36

KRYVDA, S.A.

Practices in planting oak in clusters in the southern part of the
Yergeni Hills (Kalmyk A.S.S.R.). Agrobiologiya no.3:412-418 My-Je
'62. (MIRA 15:10)

1. Kalmytskaya nauchno-issledovatel'skaya lesnaya opytnaya stantsiya
g. Elista.

(YERGENI HILLS--OAK)

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R000826920008-6

APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R000826920008-6"

7711107, 1.

The design office of a plant upon which four orders have been conferred.
No 9.

Tankist, No 12, 1948.

KRYVELYEV, I. A.

"O soderzhanii ponyatiyu religii."

report submitted for 7th Intl Cong, Anthropological & Ethnological Sciences,
Moscow, 3-10 Aug 64.

KRYVEN' P. V.

Ukraine - Economic Conditions

For the Marxist-Lenist working out of the history of the people's state and the development of the working class of the Ukraine. ("Development of capitalist industry and the formation of an industrial proletariat in the Ukraine at the end of the 19th and the beginning of the 20th centuries." O. O. Nesterenko. Reviewed by P. V. Kryven'.) Visnyk AN URSR 24, No. 2, 1953.

Monthly List of Russian Accessions, Library of Congress, June 1953. Unclassified.

L 21128-66 EWT(m)/EWP(t) IJP(c) JD

ACC NR: AP6009069

SOURCE CODE: UR/0185/66/011/003/0286/0292

AUTHOR: Bilyy, M. U.; Kryvenko, P. Y.; Krivenko, P. I.ORG: State University im. T. G. Shevchenko, Kiev (Kiyivskiy Derzhuniversitet)TITLE: Luminescence of solutions and alkaline-halide salts containing goldSOURCE: Ukrayins'kyy fizychnyy zhurnal, v. 11, no. 3, 1966, 286-292

TOPIC TAGS: luminescence, gold, halide, radiation spectrum

ABSTRACT: A laboratory study was performed in which a luminescent solution $\text{LiCl}(\text{HCl}) + \text{AuCl}$ was prepared. Since gold chloride in aqueous solvents decomposes at room temperature almost instantaneously, a cold HCl was used as solvent. The solution manifested bright red luminescence on excitation by the light of a mercury lamp after freezing in liquid air. Pressed transparent disks of $\text{AuCl} + \text{KCl}$ and AuCl salt also proved to be luminescent. The absorption spectrum of the pressed disks was measured. The measured radiation and excitation spectra coincide, within the limits of error, for solutions, pressed disks, and AuCl salt. With a drop in temperature the radiation spectra of the solutions and the AuCl salt exhibit a shift toward the long waves. The spectral characteristics obtained did not agree with the spectral characteristics of the crystallophosphor $\text{KCl} - \text{Au}$ and the system of energy levels of the free Au^{++} ion. A preliminary conclusion is drawn that the luminescence is caused by the AuCl molecule.

Orig. art. has: 3 figures, and 5 formulas. [Based on authors' abstract]

[JKF]

SUB CODE: 20/ SUBM DATE: 28May65/ ORIG REF: 009/ OTH REF: 004

Card 1/2/1

ANOKHINA, Lyudmila Alekseyevna; SEMELEVA, Margarita Nikolayevna;
KRYVILY, I.A., doktor fil. nauk, otv. red.; GERSHKOVICH,
B.G., red.

[Culture and living conditions of the collective farmers
of Kalinin Province] Kul'tura i byt kolkhoznikov Kalininskoi
oblasti. Moskva, Izd-vo "Nauka," 1964. 351 p.
(MIRA 17:7)

ACC NR: AP0027591

SOURCE CODE: UR/0130/66/012/004/0447/0451

AUTHOR: Kryvova, A. A. — Krivova, A. A. 2/8

ORG: Chair of Industrial Hygiene, Kharkov Medical Institute (Kafedra gigiyeni pratsi Kharkivs'kogo medychnogo instytutu)

TITLE: Effect of multiple irradiation by an intermittent current of ultraviolet radiation on the higher nervous activity of white rats

SOURCE: ²²Fiziologichnyy zhurnal, v. 12, no. 4, 1966, 447-451

TOPIC TAGS: conditioned reflex, animal physiology, radiation biologic effect, ultraviolet radiation, *reflex activity*

ABSTRACT: The effect of cyclic, intermittent UV irradiation in biological doses of 0.1 and 1.0 (mercury quartz lamp) was studied on 24 male rats aged 2—3 mos. Conditioned-reflex activity was studied using the Kotlyarevskiy method (motor-food reflexes). It was found that the degree and nature of changes in higher nervous activity depended on the radiation dose and regimen. Intermittent irradiation (biological dose of 0.1) caused a greater shift in conditioned-reflex activity than continuous irradiation. A 0.75/0.75 (duration/interval, sec) regimen caused a depressed excitatory process to intensify. A 1/1 and 5/15 regimen caused an opposite effect. After the third

Card 1/2

U 41147-55

ACC NR: AP6027591

0
exposure to UV, conditioned-reflex activity deteriorated, as reflected in a disrupted interplay between neural processes characterized by decreased excitability and increased lethargy. A 30/30 regimen had the same effect as a continuous regimen in evoking changes in higher nervous activity. Intermittent irradiation (biological dose of 1.0) had the same effect as a 10.0 biological dose of continuous irradiation. Orig. art. has: 1 figure. [CD]

SUB CODE: 06/ SUBM DATE: 12Oct64/ ORIG REF: 009/ OTH REF: 002

ATD PRESS: 5054-

Card 2/2 LC

KARBOWNICKI, Stanislaw; MAZUR, Mieczyslaw; KRYWENCZYK, Danuta

Pharmacodynamic properties of some organic zinc compounds. (I. Zinc formate). Roczn. pom. akad. med. Swierczewski. 7:237-244 '61.

1. Z Zakladu Farmakologii Pomorskiej Akademii Medycznej Kierownik: doc. dr Mieczyslaw Mazur i z Zakladu Technologii Srodkow Leczniczych Wydzialu Chemicznego Politechniki w Szczecinie Kierownik: doc. mgr inz. Stanislaw Karbownicki.

(FORMATES pharmacol) (ZINC pharmacol)

KRYWENCZYK, Danuta; MAZUR, Mieczysław

Effect of some mineral waters and of their components on the smooth muscle of isolated strips of large intestine in the guinea pig. Rocz. pom. akad. med. Swierczewski 9:115-121 '63.

1. Z Zakładu Farmakologii Pomorskiej Akademii Medycznej

Kierownik: doc. dr Mieczysław Mazur.

(MUSCLE, SMOOTH) (MINERAL WATERS)

(INTESTINE, LARGE) (PHARMACOLOGY)

MALECKA-DYMNIKA, Stanislaw; KRYWKO, Alina

Case of paroxysmal tachycardia in an 8 year old boy. Polski tygod.
lek. 14 no.3:130-132 19 Jan 59.

1. Z Kliniki Chorob Dzieciacych A.M. w Gdansk; kierownik: prof. dr
med. K. Krecinski.

(TACHYCARDIA, PAROXYSMAL, in inf. & child
case report (Pol))

HEJKA, Zuzanna; JANIOWSKI, Tadeusz; KRYWKO, Alina; TYLICKA, Teresa;
WDOWIAK, Wanda; WOZNICZKO, Jerzy.

Incidence of neurologic symptoms in the newborns in relation
to causative factors. Ginek. Pol. 36 no. 12:1379-1386 D ' 65

1. Z Kliniki Neurologicznej AM w Gdansk (Kierownik: prof. dr.
med. Z. Majewska); z I Kliniki Poloznictwa i Chorob Kobietych
AM w Gdansk (Kierownik: prof. dr. med. S. Metler) i z II
Kliniki Poloznictwa i Chorob Kobietych AM w Gdansk (Kierownik:
prof. dr. med. W. Gromadzki).

DELETED COPY, AND; ...

Hereditary disease and development ...
vol. 39 no. 51583-585 Hy '6.

1. Z I Kliniki położnictwa i ginekologii ...
w Gdansk (Kierownik: prof. ...)

DZIEDZIUSZKO, Anna; KRYWKO, Alina

Endemic occurrence of purulent meningitis in a neonatal ward.
Pediat. Pol. 40 no.3:273-278 Mr '65

1. Z I Kliniki Położnictwa i Chorob Kobięcych Akademii Medycznej w Gdańsku (Kierownik: prof. dr. med. S. Metler).

KRYZANEK, RUDOLF. in: Rost vyroba; Praha, Jaroslav, inz. 597; VESELA,
1964

Fast methods of determining the content of nitrogen substances
in plants. Pt.2. Rost vyroba 11 no.3:317-320 Mr '65.

1. Chemical Department of the Central Research Institute of Plant
Production, Prague-Ruzyně 597. Submitted December 12, 1964.

KRYZANEK, Karel, promovany chemik; PRUGAR, Jaroslav, inz. VSc, JIRACEK, Vladimír, RStR, CSc.

Fast methods of determining the content of nitrogen substances in plants. Pt.6. Rost vyroba 11 no.3:337-340 Mz '65.

1. Chemical Department of the Central Research Institute of Plant Production, Prague-Ruzyně 507 (for KryzaneK, Prugar).
 2. Chair of Biochemistry of the Faculty of Natural Sciences of the Charles University, Prague 2, Albertov 2030 (for Jiracek).
- Submitted December 12, 1964.

ACCESSION NR: AT4040384

Z/2503/63/000/009/0199/0227

AUTHOR: Kryzanek, Vladimir (Kry*zanek, Vladimir)

TITLE: Large analog computer with digital control and numerical print-out

SOURCE: Ceskoslovenska akademie ved. Vyzkumny ustav matematickych stroju. Stroje na zpracovani informaci, no. 9, 1963, 199-227

TOPIC TAGS: analog computer, ANALOGON computer

ABSTRACT: The article reports results of full-scale operation of the ANALOGON computer at the Rechenzentrum der Flugtechnischen Versuchsanstalt (Computing Center of the Flight Engineering Test Station) at Letnany. In achieving high precision and low computation time, the following measures were considered of the greatest importance: 1) central location of parts of the digital amplifier circuits with feedback in an area with precise temperature control; 2) employment of helical potentiometers with windings strictly following a certain law; 3) servomechanical installation of potentiometers utilizing a keyboard or perforated tape; 4) attachment of a digital voltmeter, a high-speed printer, and precision

Card 1/2

ACCESSION NR: AT4040384

timer; 5) use of changeable programming panels; and 6) inclusion of circuits for high-speed regulation of switching and of time and amplitude values. These features are treated in detail, and appropriate circuit diagrams are given. Orig. art. has: 23 figures.

ASSOCIATION: Forschungsinstitut fuer mathematische Maschinen, Prag (Research Institute for Mathematical Machines, Prague)

SUBMITTED: 03Sep62

DATE ACQ: 18Jun64

ENCL: 00

SUB CODE: DP, EE

NO REF SOV: 000

OTHER: 000

Card 2/2

L 29319-06

ACC NR/AP6006160

(A)

SOURCE CODE: CZ/0078/65/000/010/0019/0019

AUTHOR: Hron, Jaroslav (Prague); Kliment, Jiri (Prague); Krvacek, Vladimir (Engineer, Prague); Mirka, Bohumil (Engineer, Prague); Vytiska, Alois (Engineer, Prague)
ORG: none

TITLE: ²⁵ [An electrical indicator circuit] CZ Pat. No. PV 5792-63

SOURCE: Vynalezy, no. 10, 1965, 19

TOPIC TAGS: ~~signal detection, signal interference~~, computer, amplifier stage, *ELECTRONIC SIGNAL, ELECTRONIC CIRCUIT, ELECTRIC MEASURING INSTRUMENT, CONTROL CIRCUIT*

ABSTRACT: An electrical indicator circuit is described which serves on the one hand for the successive individual indication that the level of an electrical signal has been exceeded at a number of controlled electrical outputs, and on the other as an indicator that the level has been exceeded of the electrical signal of all the controlled electrical outputs to one point in parallel, for example, as an overload indicator for computing amplifiers, in particular transistorized computing amplifiers. In this device the electrical outputs of the individual controlled points are connected on the one hand directly to the contacts of one level of a multiple position switch, and through

Card 1/2

L 29319-66

ACC NR: AP6006160

its branch to the input of the indicating device with the overload indicator, and on the other through resistors to a common conductor which is connected through a branch to the second level of the switch.

SUB CODE: 09/ SUBM DATE: 22Oct63

Card 2/2 BK

KRYZANOVSKIY, O.L.

"A survey of ground beetles of the tribe Trechini occurring in the
Caucasus" by R.Jeannel. Reviewed by O.L.Kryzhanovskii. Ent. oboz.
40 no.1:250-251 '61. (MIRA 14:4)
(Caucasus--Ground beetles) (Jeannel, R.)

KRZANOWSKA, Halina

"Genetics" by Edmund Malinowski. Reviewed by Halina Krzanowska.
Wzrost: 171-72 Mr'64.

KRYZE, B.

On the resolution of the Czechoslovakian government of September 9, 1959, No. 758, "On certain measures against silicosis". Pracovní lek.11 no.9:441-442 H '59.
(SILICOSIS prev.& control)

KRYZE, Branko, promovany lekar

"Risk" allowances and health protection at work. Prace mzda 9 no.10:
437-439 0 '61.

(Industrial safety) (Industrial hygiene)
(Wages)

KRYZE, Branko

New law on occupational health safety and protection. Pracovní lek.
13 no.7:321-322 S '61.

(INDUSTRIAL MEDICINE legislation)

KRYZE, B.

On the problem of hygienic standards for vibrations. Pracovni lek.
14 no.4:189-194 My '62.

(VIBRATIONS)

KRYZE, B.

The role and place of technicians and hygienic and anti-epidemic
services. Prac. lek. 14 no.7:315-316 S '62.

(COMMUNICABLE DISEASE CONTROL) (HYGIENE)

KRYZE, Branko, ministerstvo zdravotnictvi

Current problems related to shortening the work day. Zdrav.
aktuality 152:7-14 '63.

(INDUSTRIAL MEDICINE)
(PSYCHOLOGY, INDUSTRIAL)

KRYZE, B., (Praha 10, W. Piecka 98)

Czechoslovakian Red Cross and industrial medicine. Prac. lek.
17 no.6:233-234 Ag '65.

CEJKA, Milan; JIRIK, Vladimir; KRYZE, Branko

Current status of the production and use of petroleum products.
Prac. lek. 7 no.8:366-370 0 ' 65.

1. Benzina, n.p., Praha; Ustav hygieny, Praha; Ministerstvo
zdravotnictvi, Praha.

23. A NOVEL LINEAR EQUIVALENT (CIRCUIT) OF NON-LINEAR ELEMENTS AND SOME APPLICATIONS. ^{25 621.3.012.8} ²
Elaboproudý Obzor, Vol. 18, No. 7, 467-71 (1958). In Czech.

It is assumed that, over a certain range, the characteristic of a nonlinear element can be approximated by the equation

$$U_0 + Z_0 I = U$$

where U and I are the voltage and current in the element, while U_0 and Z_0 are the voltage and the internal impedance of a fictitious equivalent source. If it is assumed that U_0 and U are out of phase, the equation gives a three-point approximation by means of an elliptical characteristic. This type of equivalent circuit is particularly useful in the analysis of saturated reactors, since it permits the use of standard vector diagrams. Operation of a ferroresonant flip-flop is explained by means of the equivalent circuit and the design of a ferroresonant voltage stabilizer is carried out. R.S. Sidorowicz

TA
4

67

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R000826920008-6

APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R000826920008-6"

KRYZE, Jiri, inz., kandidat technickych ved

Conference on Machines for Processing Information in Paris. Vestnik
68 no.5:655-656 '59.

L 00106-66 EED-2/EWP(1) IJP(c) BB/CG
ACCESSION NR: AP5012867 CZ/0088/65/000/002/0144/0179

AUTHOR: Kryza, Jiri⁴⁴ (Engineer, Candidate of sciences)

TITLE: Methods for storage and processing of analog data, used in MUSA-6

SOURCE: Kybernetika, no. 2, 1965, 144-179

TOPIC TAGS: computer theory, analog computer, data storage, data processing, computer technology

ABSTRACT: The paper, after a brief description of the MUSA-6 analog computer and its functions, discusses the following: The analog algorithms used for the storage and processing of analog data. The sampling method as used in the MUSA-6 computer; the mean value sampling circuit with a correction filter (the transfer function of the sampling circuit; the formula for the absolute value of its response characteristic and the formula for phase shift are derived). Encoding for the conversion of equidistant sampled signals into pulse-duration modulated (PDM) signals is discussed and compared with the triangular coding waveform. The influence of waveform distortion is discussed as an example of a generalized exponentially distorted triangular waveform. The influence of omitted sampling and the coding of nonsampled waveforms are also discussed. Recording of data on magnetic tapes, the effect of random error in the position of the recorded

L 00106-66
ACCESSION NR: AP5012867

0

pulses, the two basic methods of reading and writing PDM signals used in MUSA-6 computer (one not requiring erasing and the other requiring erasing) are discussed. Multiplication by combining PDM and AM; multiplier output for saw-tooth coding; generalized interpolation circuit and the derivation of the general expression for the m-th order parabolic interpolation law; response of the circuit transfer function to a unit step function; the inherent delay of a symmetric interpolation; forming the interpolation output waveform in the i-th sampling interval for symmetric cubic interpolation and asymmetric quadratic interpolation; the quadratic nonsymmetrical interpolation circuit used in MUSA-6; 3-rd order symmetric cubic interpolation circuit; the quality of interpolation; and interpolation and resampling transfer functions are also considered. Integration in the MUSA system (zero and first order interpolation circuits for integral evaluation as used in the MUSA system) is discussed. Synchronization (simplest algorithm for the restoration of PDM signals; the effect of a sinusoidal disturbance of tape velocity on the synchronization algorithm; synchronization algorithm for the suppression of noise due to changes of tape velocity and the error due to this effect; the advantages of using triangular coding waveform) is also covered. The basic circuit used in the MUSA system

Card 2/3

L 00106-66

ACCESSION NR: AP5012867

for the generation of triangular coding waveform (the circuit diagram is shown as well as the waveforms at some of its points) is also discussed. Orig. art. has: 124 formulas and 16 figures.

ASSOCIATION: Ustav teorie informace a automatizace CSAV, Prague (Institute of information theory and automation CSAV)

SUBMITTED: 13Jul64

ENCL: 00

SUB CODE: DP

NO REF SOV: 003

OTHER: 012

Card 3/3

L 34563-66

ACC NR: AP6025513

SOURCE CODE: CZ/0014/65/000/012/0469/0470

AUTHOR: Kryze, Jiri (Engineer; Candidate of sciences); Mertl, Vladimir (Engineer) ⁴⁶

ORG: none ^B

TITLE: Equipment for recording the volt-ampere characteristics of tunnel diodes

SOURCE: Sdelovaci technika, no. 12, 1965, 469-470

TOPIC TAGS: recording equipment, tunnel diode, volt ampere characteristic

ABSTRACT: The article describes equipment for recording the volt-ampere characteristics of tunnel diodes. The principle of the device is explained and diagrams are presented. Better than 1% accuracy is obtained. Orig. art. has: 4 figures.
[JPRS: 34,691]

SUB CODE: 14, 07 / SUBM DATE: none / ORIG REF: 001 / SOV REF: 001
OTH REF: 002

Card 1/1 *fy*

0916

0893

SLEPHUKHA, I.M., kand.med.nauk; KRYZHANOVA, V.O., nauchnyy sotrudnik

Case of foreign body in the infra-lobar bronchus of the right lung. Pat., klin. i terap. tub. no. 8:388-389 '58. (MIRA 13:7)

1. Iz 1-go khirurgicheskogo otdeleniya (rukovoditel' - starshiy nauchnyy sotrudnik G.G. Gorovenko) i pato-morfologicheskoy laboratorii (rukovoditel' - starshiy nauchnyy sotrudnik V.F. Yur'yeva) Ukrainskogo nauchno-issledovatel'skogo instituta tuberkuleza im. akad. F.G. Yanovskogo.

(BRONCHI--FOREIGN BODIES)

KRYZHANOVA, V. G.: Master Med Sci (diss) -- "The duration of retention of the grippa virus in the lung tissues after the death of animals (Experimental pathological-anatomical and virological investigation)". Odessa, 1959. 12 pp (Odessa State Med Inst im N. I. Pirogov), 200 copies (KL, No 18, 1959, 129)

KRYZHANOVA, V.G.

Senile changes in the lungs; an experimental study. Trach.delo
no.2:79-83 F '63. (MIRA 16:5)

1. Patologogistologicheskaya laboratoriya Instituta gerontologii
AMN SSSR; nauchnyy rukovoditel' - zasluzhennyy deyatel' nauki,
prof. M.K. Dal'.

(LUNGS--AGING)

BRUCHAC, D.; KRYZANOVSKA-KAPLUNOVA, E.F.

Characteristics of the uterine potential in its different functional states. Bratisl. lek. listy 44 no.4:193-200 31 Ag '64.

1. II gynekologicko-porodnicka klinika Lek. fak. Univ. Komenskeho v Bratislave, (veduci doc. MUDr. A. Hudcovic); Laboratorium normalnej a patologickej fyziologie (veduci prof. N.L. Carmasevova) a Institut porodnictva a gynekologie AMN SSSR (riaditel prof. M.A.Petrov - Maslakov).

KRYZHANOVSKAYA, A. B.

"Long-Range Forecase of Yearly Runoff" (Hydrology of Land, Applied Hydrology)
Gidrotekhn. str-vo, No 8, 1953, pp 39-40

W-31146, 1 Feb 55

KRYZHANOVSKAYA, A. B.

"Determining the Corrections in the Levels of the Mean Flow of the Dnepr on Re-forming the River Bed" (Hydrology of Land, Rivers) Izv. In-ta gidrol. i gidrotekhniki AN USSR, 10 (17), 1953, pp 107-111

Abs

W-31146, 1 Feb 55

KRYZHANOVSKAYA, A.B., inzhener.

Long-term forecasting of yearly water discharge. Gidr.stroi. 22 no.8:39-
40 Ag '53.

(MLRA 6:8)
(Hydrology)

KRYZHANOVSKAYA, A.B., kandidat tekhnicheskikh nauk; ZHELEZNYAK, I.A.,
kandidat tekhnicheskikh nauk; MOKLYAK, V.I., kandidat tekhnicheskikh
nauk.

On hydrological forecasting. Gidr.stroi. 23 no.5:37-40 '54.(MIRA 7:8)
(Hydrology)

KRYZHANOVSKAYA, Arisadna Borisovna [Kryzhanivs'ka A.B.]; CHIPPIN, G.O.
[Chippin, H.O.], kand.tekhn.nauk, red.; SHTUL'MAN, I.F., red.
izd-va; ZHUKOVSKIY, A.D.[Zhukovs'kiy, A.D.], tekhn.red.

[Long-range forecasting of the Dnieper runoff] Dovhoterminovi
prohnozy kharakterystyk stoku Dnipra. Kyiv, Vyd-vo Akad. nauk
URSR, 1957. 87 p. (MIRA 11:4)
(Dnioper River)

В. В. КРИЖАНІВСЬКА
KRYZHANIVS'KA; A.B.

Development of hydrological prognoses in the Ukraine. Visnyk
AN URSR 28 no.10:45-51 0 '57. (MIRA 10:12)
(Ukraine--Hydrology)